



SIDDAGANGA INSTITUTE OF TECHNOLOGY, TUMAKURU - 572 103.
(An Autonomous Institute affiliated to VIVEKARAYA Technological University, Belagavi, Approved by AICTE, New Delhi)
PROVISIONAL RESULTS OF EVEN SEMESTER [2020-21] END EXAMINATIONS AUGUST 2021

Semester: SIXTH

Branch : CIVIL ENGINEERING

SL. NO	NAME	VTU USN	6RCV01	6RCV02	6RCVL1	6RCVL2	6RCVP1	6CVE21	ARAS	HSS07D	OE	RE-REGISTERED SUBJECTS												Credits Earned	SGPA	CGPA												
			Design of Reinforced Concrete Structures	Geotechnical Engineering-II	Geotechnical Engineering Laboratory	Building Information Modeling Laboratory	Mini project	Traffic Engineering	APTITUDE RELATED ANALYTICAL SKILLS	Project Management	Open Elective																											
			Cr.: 4.5	Cr.: 4.5	Cr.: 1.5	Cr.: 1.5	Cr.: 2.0	Cr.: 3.0	Cr.: 1.0	Cr.: 3.0	Cr.: 3.0																											
			Gr. Gp	Gr. Gp	Gr. Gp	Gr. Gp	Gr. Gp	Gr. Gp	Gr. Gp	Gr. Gp	Gr. Gp	Code	Gr	Gp	Code	Cr	Gr	Gp	Code	Cr	Gr	Gp	Code				Cr	Gr	Gp									
1		1S115CV018	RESULT WITH HELD																																			
2		1S116CV003	D	27.00	D	27.00	D	9.00	C	10.50	A	18.00	C	21.00	C	7.00	C	21.00	OE43	C	21.00														24.00	6.73	7.09	
3		1S116CV012	C	31.50	C	31.50	C	10.50	C	10.50	A	18.00	C	21.00	C	7.00	C	21.00	OE43	B	24.00														24.00	7.29	6.49	
4		1S116CV026	D	27.00	D	27.00	D	9.00	D	9.00	A	18.00	D	18.00	C	7.00	C	21.00	OE43	C	21.00	5RCV01	4.5	#											#			
5		1S116CV047	E	18.00	E	18.00	D	9.00	D	9.00	A	18.00	E	12.00	D	6.00	D	18.00	OE43	D	18.00														24.00	5.25	6.13	
6		1S116CV059	RESULT WITH HELD																																			
7		1S117CV007	D	27.00	D	27.00	C	10.50	C	10.50	B	16.00	D	18.00	D	6.00	C	21.00	OE43	C	21.00														24.00	6.54	6.62	
8		1S117CV017	D	27.00	D	27.00	C	10.50	C	10.50	A	18.00	D	18.00	D	6.00	C	21.00	OE43	C	21.00														24.00	6.63	6.64	
9		1S117CV040	C	31.50	D	27.00	C	10.50	B	12.00	A	18.00	C	21.00	C	7.00	C	21.00	OE26	C	21.00														24.00	7.04	6.64	
10		1S117CV043	D	27.00	D	27.00	D	9.00	D	9.00	B	16.00	D	18.00	D	6.00	D	18.00	OE43	D	18.00	5RCV01	4.5	#											#			
11		1S117CV057	D	27.00	D	27.00	C	10.50	C	10.50	B	16.00	C	21.00	C	7.00	C	21.00	OE43	C	21.00														24.00	6.71	6.91	
12		1S118CV001	RESULT WITH HELD																																			
13		1S118CV002	C	31.50	C	31.50	C	10.50	C	10.50	A	18.00	C	21.00	C	7.00	C	21.00	OE48	D	18.00	5RCV01	4.5	#												#		
14		1S118CV003	RESULT WITH HELD																																			
15		1S118CV004	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE43	A	27.00														24.00	9.00	8.78	
16		1S118CV005	A	40.50	A	40.50	A	13.50	A	13.50	S	20.00	S	30.00	A	9.00	A	27.00	OE43	A	27.00														24.00	9.21	9.16	
17		1S118CV008	D	27.00	C	31.50	C	10.50	B	12.00	A	18.00	D	18.00	C	7.00	C	21.00	OE07	C	21.00	5RCV01	4.5	#											#			
18		1S118CV009	B	36.00	B	36.00	B	12.00	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE48	B	24.00														24.00	8.08	8.17	
19		1S118CV010	B	36.00	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	B	8.00	B	24.00	OE07	A	27.00														24.00	8.65	7.45	
20		1S118CV011	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	B	24.00	OE07	A	27.00														24.00	8.88	8.60	
21		1S118CV012	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE07	A	27.00														24.00	9.00	8.63	
22		1S118CV013	B	36.00	B	36.00	A	13.50	A	13.50	A	18.00	B	24.00	B	8.00	B	24.00	OE07	A	27.00	5RCV01	4.5	#											#			
23		1S118CV014	B	36.00	B	36.00	B	12.00	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE07	B	24.00													24.00	8.08	6.93		
24		1S118CV015	B	36.00	B	36.00	B	12.00	B	12.00	S	20.00	B	24.00	B	8.00	B	24.00	OE07	A	27.00	OE43	3	#										#				
25		1S118CV016	A	40.50	A	40.50	A	13.50	A	13.50	S	20.00	A	27.00	A	9.00	A	27.00	OE43	A	27.00														24.00	9.08	8.24	
26		1S118CV017	B	36.00	B	36.00	B	12.00	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE07	B	24.00														24.00	8.08	8.28	
27		1S118CV018	C	31.50	B	36.00	C	10.50	C	10.50	A	18.00	C	21.00	C	7.00	C	21.00	OE26	C	21.00	5RCV01	4.5	#											#			
28		1S118CV019	A	40.50	B	36.00	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE07	A	27.00														24.00	8.81	8.56	
29		1S118CV020	D	27.00	C	31.50	C	10.50	C	10.50	B	16.00	D	18.00	C	7.00	C	21.00	OE43	C	21.00														24.00	6.77	6.37	
30		1S118CV021	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	B	8.00	B	24.00	OE43	A	27.00														24.00	8.83	7.92	
31		1S118CV022	A	40.50	B	36.00	A	13.50	A	13.50	A	18.00	A	27.00	B	8.00	A	27.00	OE48	A	27.00														24.00	8.77	8.47	



SIDDAGANGA INSTITUTE OF TECHNOLOGY, TUMAKURU - 572 103.
 (An Autonomous Institute affiliated to Visvesvaraya Technological University, Belagavi, Approved by AICTE, New Delhi)
PROVISIONAL RESULTS OF EVEN SEMESTER [2020-21] END EXAMINATIONS AUGUST 2021

Semester: SIXTH

Branch : CIVIL ENGINEERING

SL. NO	NAME	VTU USN	6RCV01		6RCV02		6RCVL1		6RCVL2		6RCVP1		6CVE21		ARAS		HSS07D		OE			RE-REGISTERED SUBJECTS								Credits Earned	SGPA	CGPA																
			Design of Reinforced Concrete Structures		Geotechnical Engineering-II		Geotechnical Engineering Laboratory		Building Information Modeling Laboratory		Mini project		Traffic Engineering		APTITUDE RELATED ANALYTICAL SKILLS		Project Management		Open Elective																													
			Cr.: 4.5		Cr.: 4.5		Cr.: 1.5		Cr.: 1.5		Cr.: 2.0		Cr.: 3.0		Cr.: 1.0		Cr.: 3.0		Cr.: 3.0																													
			Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Code	Gr	Gp	Code	Cr	Gr	Gp	Code	Cr				Gr	Gp	Code	Cr	Gr	Gp										
32		1S118CV023	B	36.00	B	36.00	B	12.00	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE07	B	24.00																					24.00	8.08	8.05				
33		1S118CV024	A	40.50	A	40.50	A	13.50	A	13.50	S	20.00	A	27.00	A	9.00	A	27.00	OE43	A	27.00																						24.00	9.08	8.95			
34		1S118CV026	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE07	A	27.00																						24.00	9.00	8.79			
35		1S118CV027	C	31.50	C	31.50	D	9.00	B	12.00	A	18.00	C	21.00	C	7.00	C	21.00	OE43	B	24.00																						24.00	7.29	6.87			
36		1S118CV028	B	36.00	C	31.50	C	10.50	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE43	B	24.00																							24.00	7.83	7.44		
37		1S118CV029	B	36.00	B	36.00	C	10.50	B	12.00	B	16.00	B	24.00	B	8.00	B	24.00	OE43	B	24.00	OE26	3	#																					#			
38		1S118CV030	D	27.00	C	31.50	D	9.00	C	10.50	A	18.00	D	18.00	C	7.00	C	21.00	OE51	C	21.00	OE43	3	#																					#			
39		1S118CV031	B	36.00	B	36.00	C	10.50	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE40	B	24.00																							24.00	8.02	7.59		
40		1S118CV032	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE51	A	27.00																								24.00	9.00	8.39	
41		1S118CV033	A	40.50	B	36.00	B	12.00	A	13.50	A	18.00	B	24.00	B	8.00	A	27.00	OE26	A	27.00																								24.00	8.58	7.89	
42		1S118CV034	C	31.50	C	31.50	D	9.00	B	12.00	A	18.00	C	21.00	B	8.00	C	21.00	OE48	C	21.00																								24.00	7.21	7.22	
43		1S118CV036	B	36.00	B	36.00	B	12.00	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE07	A	27.00																								24.00	8.21	7.24	
44		1S118CV038	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE43	A	27.00																								24.00	9.00	9.03	
45		1S118CV039	A	40.50	A	40.50	A	13.50	A	13.50	S	20.00	A	27.00	A	9.00	A	27.00	OE40	A	27.00																								24.00	9.08	8.94	
46		1S118CV040	A	40.50	B	36.00	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE43	A	27.00																								24.00	8.81	7.83	
47		1S118CV041	C	31.50	C	31.50	C	10.50	C	10.50	A	18.00	C	21.00	C	7.00	C	21.00	OE43	C	21.00	5RCV01	4.5	#																					#			
48		1S118CV042	A	40.50	A	40.50	B	12.00	A	13.50	S	20.00	A	27.00	B	8.00	B	24.00	OE43	A	27.00																								24.00	8.85	8.66	
49		1S118CV043	B	36.00	B	36.00	A	13.50	A	13.50	A	18.00	A	27.00	B	8.00	B	24.00	OE07	A	27.00																								24.00	8.46	8.59	
50		1S118CV045	B	36.00	C	31.50	C	10.50	B	12.00	A	18.00	C	21.00	C	7.00	C	21.00	OE07	B	24.00	5RCV01	4.5	#																						#		
51		1S118CV046	RESULT WITH HELD																																													
52		1S118CV047	B	36.00	B	36.00	B	12.00	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE43	B	24.00																									24.00	8.08	8.25
53		1S118CV048	B	36.00	B	36.00	B	12.00	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE43	B	24.00																									24.00	8.08	8.15
54		1S118CV049	C	31.50	C	31.50	D	9.00	C	10.50	A	18.00	D	18.00	C	7.00	C	21.00	OE43	C	21.00	5RCV01	4.5	#																						#		
55		1S118CV050	A	40.50	A	40.50	A	13.50	A	13.50	S	20.00	A	27.00	A	9.00	A	27.00	OE07	S	30.00																									24.00	9.21	8.91
56		1S118CV053	C	31.50	C	31.50	D	9.00	C	10.50	A	18.00	C	21.00	C	7.00	C	21.00	OE07	C	21.00	OE43	3	#																						#		
57		1S118CV412	D	27.00	D	27.00	D	9.00	C	10.50	A	18.00	C	21.00	C	7.00	C	21.00	OE43	C	21.00	5RCV01	4.5	#																						#		
58		1S118CV413	C	31.50	C	31.50	D	9.00	B	12.00	A	18.00	C	21.00	C	7.00	C	21.00	OE43	C	21.00																								24.00	7.17	7.11	
59		1S118CV900	RESULT WITH HELD																																													
60		1S119CV401	A	40.50	A	40.50	A	13.50	A	13.50	S	20.00	A	27.00	B	8.00	A	27.00	OE26	A	27.00																								24.00	9.04	8.89	
61		1S119CV402	C	31.50	C	31.50	C	10.50	B	12.00	A	18.00	C	21.00	C	7.00	B	24.00	OE26	C	21.00	OE43	3	#																						#		
62		1S119CV403	C	31.50	C	31.50	C	10.50	B	12.00	A	18.00	B	24.00	B	8.00	B	24.00	OE26	B	24.00	OE43	3	#																						#		



SIDDAGANGA INSTITUTE OF TECHNOLOGY, TUMAKURU - 572 103.
(An Autonomous Institute affiliated to Visvesvaraya Technological University, Belagavi, Approved by AICTE, New Delhi)
PROVISIONAL RESULTS OF EVEN SEMESTER [2020-21] END EXAMINATIONS AUGUST 2021

Semester: SIXTH

Branch : CIVIL ENGINEERING

SL. NO	NAME	VTU USN	6RCV01		6RCV02		6RCVL1		6RCVL2		6RCVP1		6CVE21		ARAS		HSS07D		OE			RE-REGISTERED SUBJECTS								Credits Earned	SGPA	CGPA													
			Design of Reinforced Concrete Structures		Geotechnical Engineering-II		Geotechnical Engineering Laboratory		Building Information Modeling Laboratory		Mini project		Traffic Engineering		APTITUDE RELATED ANALYTICAL SKILLS		Project Management		Open Elective																										
			Cr. : 4.5		Cr. : 4.5		Cr. : 1.5		Cr. : 1.5		Cr. : 2.0		Cr. : 3.0		Cr. : 1.0		Cr. : 3.0		Cr. : 3.0																										
			Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Gr	Gp	Code	Gr	Gp	Code	Cr	Gr	Gp	Code	Cr				Gr	Gp	Code	Cr	Gr	Gp							
63		1SI19CV404	A	40.50	A	40.50	A	13.50	A	13.50	A	18.00	A	27.00	A	9.00	A	27.00	OE26	A	27.00																			24.00	9.00	9.10			
64		1SI19CV405	RESULT WITH HELD																																										
65		1SI19CV406	A	40.50	B	36.00	B	12.00	A	13.50	A	18.00	A	27.00	B	8.00	B	24.00	OE07	A	27.00																					24.00	8.58	8.28	
66		1SI19CV407	B	36.00	B	36.00	C	10.50	B	12.00	A	18.00	B	24.00	C	7.00	B	24.00	OE26	B	24.00	5RCV01	4.5	#																			#		